

DAFTAR PUSTAKA

- [1] D. Wangira, “Lima hal yang membedakan Mpox dengan Covid-19,” *BBC News Indonesia*, 2024. [Online]. Available: <https://www.bbc.com/indonesia/articles/cgq24epnqvdo>
- [2] O. Mitjà *et al.*, “Monkeypox,” *Lancet*, vol. 401, no. 10370, pp. 60–74, 2023, doi: 10.1016/S0140-6736(22)02075-X.
- [3] W. H. Organization, “Public health taxonomy for social listening on monkeypox conversations,” vol. 97, no. September, pp. 5–6, 2022.
- [4] K. K. R. Biro Komunikasi dan Pelayanan Publik, “Laporan Kegiatan: Penilaian Risiko Bersama Penularan Virus Monkeypox dari Manusia ke Hewan di Provinsi DKI Jakarta,” 2024.
- [5] A. Królak, T. Wiktorski, and A. Żmudzińska, “Automatic Analysis of X (Twitter) Data for Supporting Depression Diagnosis,” *Hum. Technol.*, vol. 19, no. 3, pp. 370–399, 2023, doi: 10.14254/1795-6889.2023.19-3.4.
- [6] Y. K. Lase, “India Pimpin Daftar Negara dengan Pengguna Youtube Terbanyak per Januari 2023,” *GoodStats*. https://data.goodstats.id/statistic/5-merek-kopi-siap-minum-terpopuler-di-indonesia-2023-meHJh?utm_campaign=read-infinite&utm_medium=infinite&utm_source=internal
- [7] A. P. Nardilasari, A. L. Hananto, S. S. Hilabi, T. Tukino, and B. Priyatna, “Analisis Sentimen Calon Presiden 2024 Menggunakan Algoritma SVM Pada Media Sosial Twitter,” *JOINTECS (Journal Inf. Technol. Comput. Sci.)*, vol. 8, no. 1, p. 11, 2023, doi: 10.31328/jointecs.v8i1.4265.
- [8] M. Khan and A. Srivastava, “Sentiment Analysis of Twitter Data Using Machine Learning,” *Int. J. Eng. anf Manag. Res.*, no. March, pp. 284–290, 2024, doi: 10.1109/ICTACS59847.2023.10390062.
- [9] A. Borg and M. Boldt, “Using VADER sentiment and SVM for predicting customer response sentiment,” *Expert Syst. Appl.*, vol. 162, p. 113746, 2020, doi: 10.1016/j.eswa.2020.113746.

- [10] H. Syahputra and A. Wibowo, “Comparison of Support Vector Machine (SVM) and Random Forest Algorithm for Detection of Negative Content on Websites,” *J. Ilm. Tek. Elektro Komput. dan Inform.*, vol. 9, no. 1, pp. 165–173, 2023, doi: 10.26555/jiteki.v9i1.25861.
- [11] M. Isnain, G. N. Elwirehardja, and B. Pardamean, “Sentiment Analysis for TikTok Review Using VADER Sentiment and SVM Model,” *Int. Conf. Comput. Sci. Comput. Intell.*, 2023.
- [12] A. Rufaida, A. Permanasari, and N. Setiawan, “Lexicon-Based Sentiment Analysis Using Inset Dictionary: A Systematic Literature Review,” 2023, doi: 10.4108/eai.5-10-2022.2327474.
- [13] Muhammad Fernanda Naufal Fathoni, Eva Yulia Puspaningrum, and Andreas Nugroho Sihananto, “Perbandingan Performa Labeling Lexicon InSet dan VADER pada Analisa Sentimen Rohingya di Aplikasi X dengan SVM,” *Modem J. Inform. dan Sains Teknol.*, vol. 2, no. 3, pp. 62–76, 2024, doi: 10.62951/modem.v2i3.112.
- [14] B. M. Liu, N. Y. Rakhmanina, Z. Yang, and M. I. Bukrinsky, “Mpox (Monkeypox) Virus and Its Co-Infection with HIV, Sexually Transmitted Infections, or Bacterial Superinfections: Double Whammy or a New Prime Culprit?,” *Viruses*, vol. 16, no. 5, 2024, doi: 10.3390/v16050784.
- [15] Y. H. Luo, T. Zhang, J. L. Cao, W. S. Hou, A. Q. Wang, and C. H. Jin, “Monkeypox: An outbreak of a rare viral disease,” *J. Microbiol. Immunol. Infect.*, vol. 57, no. 1, pp. 1–10, 2024, doi: 10.1016/j.jmii.2023.12.006.
- [16] A. C. Müller and S. Guido, *Introduction to Machine Learning with Python*. United States of America.: O'Reilly Media, Inc, 2017. doi: 10.2174/97898151244221230101.
- [17] A. Smola and S. V. N. Vishwanathan, *Introduction to Machine Learning*. Cambridge: the press syndicate of the university of Cambridge, 2010. doi: 10.1007/978-94-007-6964-9_1.
- [18] C. M. Bishop, *Pattern Recognition and Machine Learning*, 3rd ed., vol. 4, no. 1. New York, 2006. doi: 10.53759/7669/jmc202404020.
- [19] D. Jurafsky and J. Martin, *Speech and Language Processing*, vol. 3. 2014.

- [20] I. H. Witten and E. Frank, *Data Mining: Practical machine learning tools and techniques*. Diane Cerra, 2005. [Online]. Available:
<http://books.google.com/books?hl=en&lr=&id=QTnOcZJzlUoC&oi=fnd&pg=PR17&dq=Data+Mining+Practical+Machine+Learning+Tools+and+Techniques&ots=3gpDdrWiOc&sig=TZS7G8l1eXSa2SpAvfD6aBoJ2lw>
- [21] J. Ha, M. Kambe, and J. Pe, *Data Mining: Concepts and Techniques*, 3rd ed. 2011. doi: 10.1016/C2009-0-61819-5.
- [22] P.-N. Tan, M. Steinbach, and V. Kumar, *Introduction to Data Mining*. 2014. doi: 10.1016/b978-155558242-5/50003-6.
- [23] M. Ridwan, H. Suyono, and M. Sarosa, ‘Penerapan Data Mining Untuk Evaluasi Kinerja Akademik Mahasiswa Menggunakan Algoritma Naive Bayes Classifier,’ *Eeccis*, vol. 7, no. 1, pp. 59–64, 2013, doi: 10.1038/hdy.2009.180.
- [24] A. Hotho, A. Nürnberger, and G. Paaß, ‘A brief survey of text mining.,’ *Comput. Linguist. Lang. Technol.*, vol. 20, no. 1, pp. 19–62, 2005.
- [25] R. Feldman and J. Sanger, *The Text Mining Handbook: Advanced Approaches in Analyzing Unstructured Data*. Cambridge University Press, 2006.
- [26] H. Hassani, C. Beneki, S. Unger, M. T. Mazinani, and M. R. Yeganegi, ‘Text mining in big data analytics,’ *Big Data Cogn. Comput.*, vol. 4, no. 1, pp. 1–34, 2020, doi: 10.3390/bdcc4010001.
- [27] Rina Noviana and Isram Rasal, ‘Penerapan Algoritma Naive Bayes Dan Svm Untuk Analisis Sentimen Boy Band Bts Pada Media Sosial Twitter,’ *J. Tek. dan Sci.*, vol. 2, no. 2, pp. 51–60, 2023, doi: 10.56127/jts.v2i2.791.
- [28] B. Liu, ‘Sentiment Analysis: Mining Opinions, Sentiments, and Emotions, Second Edition,’ *Sentim. Anal. Min. Opin. Sentim. Emot. Second Ed.*, no. May, pp. 1–432, 2020, doi: 10.1017/9781108639286.
- [29] D. Yan, K. Li, S. Gu, and L. Yang, ‘Network-Based Bag-of-Words Model for Text Classification,’ *IEEE Access*, vol. 8, pp. 82641–82652, 2020, doi: 10.1109/ACCESS.2020.2991074.

- [30] D. E. Cahyani and I. Patasik, “Performance comparison of tf-idf and word2vec models for emotion text classification,” *Bull. Electr. Eng. Informatics*, vol. 10, no. 5, pp. 2780–2788, 2021, doi: 10.11591/eei.v10i5.3157.
- [31] A. H. Mulyadi and S. Lestari, “Analisis Sentimen Terhadap Sekolah Saat Covid-19 Pada Twitter Menggunakan Metode Lexicon Based,” *JIKOM J. Inform. dan Teknol. Komput.*, vol. 3, no. 1, pp. 17–23, 2022, [Online]. Available: <https://ejurnalunsam.id/index.php/jicom/article/view/4064/3168>
- [32] J. Zhao, K. Liu, and L. Xu, “Sentiment Analysis: Mining Opinions, Sentiments, and Emotions,” *Comput. Linguist.*, vol. 42, no. 3, pp. 595–598, 2016, doi: 10.1162/COLI_r_00259.
- [33] A. Yadav and D. Vishwakarma, “Sentiment analysis using deep learning architectures: a review,” *Artif. Intell. Rev.*, vol. 53, pp. 1–51, 2020, doi: 10.1007/s10462-019-09794-5.
- [34] A. M. Andrew, “An Introduction to Support Vector Machines and Other Kernel-based Learning Methods,” *Kybernetes*, vol. 30, no. 1, pp. 103–115, 2001, doi: 10.1108/k.2001.30.1.103.6.
- [35] A. S. Nugroho, A. B. Wirtato, and D. Handoko, “Support Vector Machine. Teori dan Aplikasinya,” *Proc. 2011 Chinese Control Decis. Conf. CCDC 2011*, pp. 842–847, 2011, doi: 10.1109/CCDC.2011.5968300.
- [36] T. Hastie, Ro. Tibshirani, and J. Friedman, *The Elements of Statistical Lerner Data Mining, Inference, and Prediction*, 2nd ed. 2008. doi: 10.1109/SITIS.2013.106.
- [37] D. Musfiroh, U. Khaira, P. E. P. Utomo, and T. Suratno, “Analisis Sentimen terhadap Perkuliahan Daring di Indonesia dari Twitter Dataset Menggunakan InSet Lexicon,” *MALCOM Indones. J. Mach. Learn. Comput. Sci.*, vol. 1, no. 1, pp. 24–33, 2021, doi: 10.57152/malcom.v1i1.20.
- [38] I. Markoulidakis, I. Rallis, I. Georgoulas, G. Kopsiaftis, A. Doulamis, and N. Doulamis, “Multiclass Confusion Matrix Reduction Method and Its Application on Net Promoter Score Classification Problem,” 2021.
- [39] C. Miller, T. Portlock, D. M. Nyaga, and J. M. O’Sullivan, “A review of model evaluation metrics for machine learning in genetics and genomics,” *Front. Bioinforma.*, vol. 4, no.

- September, pp. 1–13, 2024, doi: 10.3389/fbinf.2024.1457619.
- [40] S. Bird, E. Klein, and E. Loper, *Natural Language Processing with Python*. Sebastopol: O'Reilly Media, Inc, 2015.
- [41] Y. Qi and Z. Shabrina, “Sentiment analysis using Twitter data: a comparative application of lexicon- and machine-learning-based approach,” *Soc. Netw. Anal. Min.*, vol. 13, no. 1, pp. 1–14, 2023, doi: 10.1007/s13278-023-01030-x.
- [42] A. H. Alamoodi *et al.*, “Sentiment analysis and its applications in fighting COVID-19 and infectious diseases: A systematic review,” *Expert Syst. Appl.*, vol. 167, no. October 2020, p. 114155, 2021, doi: 10.1016/j.eswa.2020.114155.
- [43] A. S. A. Fatty Faiqah, Muh. Nadjib, “Youtube Sebagai Sarana Komunikasi Bagi Komunitas Makassarvidgram,” *J. Komun. KAREBA*, vol. 5, no. 2, pp. 259–272, 2016.
- [44] M. Fyfield, M. Henderson, and M. Phillips, “Navigating four billion videos: teacher search strategies and the YouTube algorithm,” *Learn. Media Technol.*, vol. 46, no. 1, pp. 47–59, Jan. 2021, doi: 10.1080/17439884.2020.1781890.
- [45] M. Mujahid *et al.*, “Sentiment analysis and topic modeling on tweets about online education during covid-19,” *Appl. Sci.*, vol. 11, no. 18, 2021, doi: 10.3390/app11188438.
- [46] N. Hasanati, Q. Aini, and A. Nuri, “Implementation of Support Vector Machine with Lexicon Based for Sentiment Analysis on Twitter,” in *2022 10th International Conference on Cyber and IT Service Management (CITSM)*, 2022, pp. 1–4. doi: 10.1109/CITSM56380.2022.9935887.
- [47] R. H. Muhammadi, T. G. Laksana, and A. B. Arifa, “Combination of Support Vector Machine and Lexicon-Based Algorithm in Twitter Sentiment Analysis,” *Khazanah Inform. J. Ilmu Komput. dan Inform.*, vol. 8, no. 1, pp. 59–71, 2022, doi: 10.23917/khif.v8i1.15213.
- [48] M. Iqbal, M. Afdal, and R. Novita, “Implementasi Algoritma Support Vector Machine Untuk Analisa Sentimen Data Ulasan Aplikasi Pinjaman Online di Google Play Store,” *MALCOM Indones. J. Mach. Learn. Comput. Sci.*, vol. 4, no. 4, pp. 1244–1252, 2024, doi: 10.57152/malcom.v4i4.1435.

- [49] S. Bengesi, T. Oladunni, R. Olusegun, and H. Audu, “A Machine Learning-Sentiment Analysis on Monkeypox Outbreak: An Extensive Dataset to Show the Polarity of Public Opinion From Twitter Tweets,” *IEEE Access*, vol. 11, no. February, pp. 11811–11826, 2023, doi: 10.1109/ACCESS.2023.3242290.
- [50] Q. H. Nguyen *et al.*, “Influence of data splitting on performance of machine learning models in prediction of shear strength of soil,” *Math. Probl. Eng.*, vol. 2021, 2021, doi: 10.1155/2021/4832864.